Neuroscience Letters, 87 (1988) 312–315
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Akaike, N., Kaneda, M., Hori, N. and Krishtal, O.A., Blockade of *N*-methyl-D-aspartate response in enzyme-treated rat hippocampal neurons, 75
Albanese, A., Jenner, P., Marsden, C.D. and Stephenson, J.D., Bladder hyperreflexia induced in marmosets by 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine, 46
Albe-Fessard, D., see Giamberardino, M.A., 29
Alcazar, A., see Calés, C., 271
Archer, D.R. and McLean, W.G., Changes in fast axonally transported proteins in the regenerating rabbit vagus nerve, 151
Arnedo, A., see Colado, M.I., 302
Astolfi, M., see Maggi, C.A., 163

Baker, K., Yang, J., Covey, D.F., Clifford, D.B. and Zorumski, C.F., α-Substituted thiobutyrolactones potentiate GABA currents in voltage-clamped chick spinal cord neurons, 133
Balázs, R., Hack, N. and Jorgensen, O.S., Stimulation of the *N*-methyl-D-aspartate receptor has a trophic effect on differentiating cerebellar granule cells, 80
Barnes, E.M., Jr., see Jalilian Tehrani, M.H., 288
Bartlett, P.F., see Kerr, R.S.C., 259
Basbaum, A.I., see Levine, J.D., 200
Battaini, F., see Govoni, S., 173
Baumann, N., see Gout, O., 195
Beal, M.F., see Gabriel, S.M., 114
Blasi, J., see Guitart, X., 297
Bockaert, J., see Pin, J.-P., 87
Bodor, N., see Brewster, M.E., 277
Brewster, M.E., Estes, K.S., Perchalski, R. and Bodor, N., A dihydropyridine conjugate which generates high and sustained levels of the corresponding pyridinium salt in the brain does not exhibit neurotoxicity in cynomolgus monkeys, 277

Cabrera, B., Portillo, F., Pásaro, R. and Delgado-García, J.M., Location of motoneurons and internuclear neurons within the rat abducens nucleus by means of horseradish peroxidase and fluorescent double labeling, 1
Calés, C., Fando, J.L., Alcazar, A. and Salinas, M., Differential subcellular distribution of guanine nucleotide exchange factor in suckling and adult rat brain, 271
Champagnat, J., see Foutz, A.S., 221
Chiu, A.S., see Young, L.T., 283
Clifford, D.B., see Baker, K., 133
Colado, M.I., Arnedo, A., Peralta, E. and Del Río, J., Unilateral dorsal rhizotomy decreases monoamine levels in the rat spinal cord, 302
Cosi, C. and Wood, P.L., Lack of GABAergic modulation of acetylcholine turnover in the rat thalamus, 293
Covey, D.F., see Baker, K., 133
Crusio, W.E., see Schwegler, H., 7

DeLanney, L.E., see Irwin, I., 51
Delgado-García, J.M., see Cabrera, B., 1
Del Río, J., see Colado, M.I., 302
Denavit-Saubié, M., see Foutz, A.S., 221
Di Giovine, S., see Govoni, S., 173
Drejer, J. and Honoré, T., New quinoxalinediones show potent antagonism of quisqualate responses in cultured mouse cortical neurons, 104
Dun, N.J. and Mo, N., Calcitonin gene-related peptide evokes fast and slow depolarizing responses in guinea pig coeliac neurons, 157

Ellory, J.C., see Lummis, S.C.R., 145
Emerk, K., see Kilinc, A., 307
Estes, K.S., see Brewster, M.E., 277

Fando, J.L., see Calés, C., 271
Foutz, A.S., Champagnat, J. and Denavit-Saubié, M., *N*-Methyl-D-aspartate (NMDA) receptors control respiratory off-switch in cat, 221
Frilli, S., see Maggi, C.A., 163
Frotscher, M., Cholinergic neurons in the rat hippocampus do not compensate for the loss of septohippocampal cholinergic fibers, 18
Fujita, K., see Naoi, M., 57
Fukuda, J., see Matsuda, Y., 11
Fusco, B., see Maggi, C.A., 163

Gabriel, S.M., MacGarvey, U.M., Koenig, J.I., Swartz, K.J., Martin, J.B. and Beal, M.F., Characterization of galanin-like immunoreactivity in the rat brain: effects of neonatal glutamate treatment, 114
Gansmuller, A., see Gout, O., 195
Geppetti, P., see Maggi, C.A., 163
Giamberardino, M.A., Rampin, O., Laplace, J.P., Vecchiet, L. and Albe-Fessard, D., Muscular

hyperalgesia and hypoalgesia after stimulation of the ureter in rats, 29
Gout, O., Gansmuller, A., Baumann, N. and Gumpel, M., Remyelination by transplanted oligodendrocytes of a demyelinated lesion in the spinal cord of the adult shiverer mouse, 195
Govoni, S., Di Giovine, S., Moresco, R.M., Battaini, F. and Trabucchi, M., Effect of chronic calcium antagonist treatment on dopamine recognition sites in rat striatum, 173
Grilli, M., Nisoli, E., Memo, M., Missale, C. and Spano, P.F., Pharmacological characterization of D_1 and D_2 dopamine receptors in rat limbocortical areas. II. Dorsal hippocampus, 253
Grilli, M., see Nisoli, E., 247
Guitart, X., Blasi, J., Solsona, C. and Marsal, J., Depolarization-stimulated protein phoshorylation in pure cholinergic nerve endings, 297
Gumpel, M., see Gout, O., 195

Hack, N., see Balázs, R., 80
Harik, S.I., see Pearlmutter, A.F., 121
Harris, R.M., see Little, J.W., 189
Heimrich, B., see Schwegler, H., 7
Himeno, A., see Tsutsumi, K., 93
Homma, I., Isobe, A., Iwase, M., Kanamaru, A. and Sibuya, M., Two different types of apnea induced by focal cold block of ventral medulla in rabbits, 41
Honoré, T., see Drejer, J., 104
Hori, N., see Akaike, N., 75

Ibaragi, M., see Tsutsumi, K., 93
Inenaga, K., see Kasai, M., 35
Irwin, I., Ricaurte, G.A., DeLanney, L.E. and Langston, J.W., The sensitivity of nigrostriatal dopamine neurons to MPP^+ does not increase with age, 51
Isa, T. and Sasaki, S., Effects of lesion of paramedian pontomedullary reticular formation by kainic acid injection on the visually triggered horizontal orienting movements in the cat, 233
Isobe, A., see Homma, I., 41
Ito, S., see Naoi, M., 57
Iwase, M., see Homma, I., 41

Jalilian Tehrani, M.H. and Barnes, E.M., Jr., GABA down-regulates the GABA/benzodiazepine complex in developing cerebral neurons, 288
Jenner, P., see Albanese, A., 46
Jensh, R., see Vogel, W.H., 183
Jones, C.R., see Weber, R.G., 215
Jorgensen, M.B. and Wright, D.C., The effect of unilateral and bilateral removal of the entorhinal cortex on the glucose utilization in various hippocampal regions in the rat, 227
Jorgensen, O.S., see Balázs, R., 80

Kanamaru, A., see Homma, I., 41
Kaneda, M., see Akaike, N., 75
Kannan, H., see Kasai, M., 35
Kasai, M., Kannan, H., Ueta, Y., Osaka, T., Inenaga, K. and Yamashita, H., Effects of iontophoretically applied cortisol on tuberoinfundibular neurons in hypothalamic paraventricular nucleus of anesthetized rats, 35
Kawano, T., see Tsutsumi, K., 93
Kaye, A.H., see Kerr, R.S.C., 259
Keller, F., see Schwegler, H., 7
Kerr, R.S.C., Kaye, A.H. and Bartlett, P.F., A quantitative assessment by flow cytometry of the preservation of the Thy-1 antigen by various fixation procedures, 259
Kihara, M., see Kubo, T., 69
Kilinç, A., Yalçin, A.S., Yalçin, D., Taga, Y. and Emerk, K., Increased erythrocyte susceptibility to lipid peroxidation in human Parkinson's disease, 307
Kim, Y., see Pearlmutter, A.F., 121
Kirsch, M., see Weiler, R., 205
Kish, S.J., see Young, L.T., 283
Koenig, J.I., see Gabriel, S.M., 114
Kohler, K., see Weiler, R., 205
Kosik, K.S., see Nukina, N., 240
Krishtal, O.A., see Akaike, N., 75
Kubo, T. and Kihara, M., Evidence of *N*-methyl-D-aspartate receptor-mediated modulation of the aortic baroreceptor reflex in the rat nucleus tractus solitarii, 69
Kurihara, M., see Tsutsumi, K., 93
Kurumaji, A., Takashima, M., Watanabe, S. and Takahashi, K., An increase in striatal Met-enkephalin-like immunoreactivity in neonatally dopamine-depleted rats, 109

Langston, J.W., see Irwin, I., 51
Laplace, J.P., see Giamberardino, M.A., 29
Lason, W., Simpson, J.N. and McGinty, J.F., Effects of D-(−)-aminophosphonovalerate on behavioral and histological changes induced by systemic kainic acid 23
Laterre, E.C., see Maloteaux, J.M., 168
Levine, J.D., Moskowitz, M.A. and Basbaum,

A.I., The effect of gold, an antirheumatic therapy, on substance P levels in rat peripheral nerve, 200
Li, P.P., see Young, L.T., 283
Little, J.W., Harris, R.M. and Sohlberg, R.C., Locomotor recovery following subtotal spinal cord lesions in a rat model, 189
Lohse, M.J., see Weber, R.G., 215
Lummis, S.C.R., Ellory, J.C. and Sattelle, D.B., The cross-linking reagent dimethyl suberimate modifies the target size of an insect nervous system nicotinic acetylcholine receptor, 145

MacGarvey, U.M., see Gabriel, S.M., 114
Maggi, C.A., Santicioli, P., Geppetti, P., Patacchini, R., Frilli, S., Astolfi, M., Fusco, B. and Meli, A., Simultaneous release of substance P- and calcitonin gene-related peptide (CGRP)-like immunoreactivity from isolated muscle of the guinea pig urinary bladder, 163
Maitre, M., see Vayer, Ph., 99
Maloteaux, J.M., Octave, J.N. and Laterre, E.C., Functional dihydropyridine binding site associated with slow calcium channel in rat cultured neurones, 168
Marsal, J., see Guitart, X., 297
Marsden, C.D., see Albanese, A., 46
Martin, J.B., see Gabriel, S.M., 114
Matsuda, Y. and Fukuda, J., Inhibition by K-252-a, a new inhibitor of protein kinase, of nerve growth factor-induced neurite outgrowth of chick embryo dorsal root ganglion cells, 11
McGinty, J.F., see Lason, W., 23
McLean, W.G., see Archer, D.R., 151
Meli, A., see Maggi, C.A., 163
Memo, M., see Grilli, M., 253
Memo, M., see Nisoli, E., 247
Misbahuddin, M. and Oka, M., Muscarinic stimulation of guinea pig adrenal chromaffin cells stimulates catecholamine secretion without significant increase in Ca^{2+} uptake, 266
Missale, C., see Grilli, M., 253
Missale, C., see Nisoli, E., 247
Mo, N., see Dun, N.J., 157
Moneta, E., see Vezzani, A., 63
Moresco, R.M., see Govoni, S., 173
Mori, K., see Tsutsumi, K., 93
Moskowitz, M.A., see Levine, J.D., 200

Nagatsu, T. and Yoshida, M., An endogenous substance of the brain, tetrahydroisoquinoline, produces parkinsonism in primates with decreased dopamine, tyrosine hydroxylase and biopterin in the nigrostriatal regions, 178
Nagatsu, T., see Naoi, M., 57
Naoi, M., Takahashi, T., Ito, S., Fujita, K. and Nagatsu, T., Accumulation of *N*-methyl-4-phenylpyridinium ion (MPP^+) in human melanoma cell line, HMV-I and -II, 57
Nisoli, E., Grilli, M., Memo, M., Missale, C. and Spano, P.F., Pharmacological characterization of D_1 and D_2 dopamine receptors in rat limbocortical areas. I. Frontal cortex, 247
Nisoli, E., see Grilli, M., 253
Niwa, M., see Tsutsumi, K., 93
Nukina, N., Kosik, K.S. and Selkoe, D.J., The monoclonal antibody, Alz 50, recognizes tau proteins in Alzheimer's disease brain, 240

Octave, J.N., see Maloteaux, J.M., 168
Oka, M., see Misbahuddin, M., 266
Osaka, T., see Kasai, M., 35
Ozaki, M., see Tsutsumi, K., 93

Palacios, J.M., see Weber, R.G., 215
Pásaro, R., see Cabrera, B., 1
Patacchini, R., see Maggi, C.A., 163
Paterson, I.A., The potentiation of cortical neurone responses to noradrenaline by β-phenylethylamine: effects of lesions of the locus coeruleus, 139
Pearlmutter, A.F., Szkrybalo, M., Kim, Y. and Harik, S.I., Arginine vasopressin receptors in pig cerebral microvessels, cerebral cortex and hippocampus, 121
Peralta, E., see Colado, M.I., 302
Perchalski, R., see Brewster, M.E., 277
Pestarino, M., Occurrence of melanotropin- and corticotropin-like material in the cerebral ganglion of a protochordate, 210
Pin, J.-P., Van-Vliet, B. and Bockaert, J., NMDA- and kainate-evoked GABA release from striatal neurones differentiated in primary culture: differential blocking by phencyclidine, 87
Portillo, F., see Cabrera, B., 1

Rampin, O., see Giamberardino, M.A., 29
Renner, P., see Schwegler, H., 7
Ricaurte, G.A., see Irwin, I., 51

Salinas, M., see Calés, C., 271
Samanin, R., see Vezzani, A., 63
Santicioli, P., see Maggi, C.A., 163
Sasaki, S., see Isa, T., 233

Sattelle, D.B., see Lummis, S.C.R., 145
Schwegler, H., Heimrich, B., Keller, F., Renner, P. and Crusio, W.E., Strain-specific development of the mossy fiber system in organotypic cultures of the mouse hippocampus, 7
Selkoe, D.J., see Nukina, N., 240
Sibuya, M., see Homma, I., 41
Simpson, J.N., see Lason, W., 23
Sohlberg, R.C., see Little, J.W., 189
Solsona, C., see Guitart, X., 297
Spano, P.F., see Grilli, M., 253
Spano, P.F., see Nisoli, E., 247
Stephenson, J.D., see Albanese, A., 46
Swartz, K.J., see Gabriel, S.M., 114
Szkrybalo, M., see Pearlmutter, A.F., 121

Taga, Y., see Kilinc, A., 307
Takahashi, K., Kurumaji, A., 109
Takahashi, T., see Naoi, M., 57
Takashima, M., see Kurumaji, A., 109
Trabucchi, M., see Govoni, S., 173
Tsutsumi, K., Niwa, M., Himeno, A., Kurihara, M., Kawano, T., Ibaragi, M., Ozaki, M. and Mori, K., α-Atrial natriuretic peptide binding sites in the rat choroid plexus are increased in the presence of hydrocephalus, 93

Ueta, Y., see Kasai, M., 35

Van-Vliet, B., see Pin, J.-P., 87
Vayer, Ph. and Maitre, M., Regional differences in depolarization-induced release of γ-hydroxybutyrate from rat brain slices, 99
Vecchiet, L., see Giamberardino, M.A., 29
Vezzani, A., Wu, H.-Q., Moneta, E. and Samanin, R., Role of the *N*-methyl-D-aspartate-type receptors in the development and maintenance of hippocampal kindling in rat, 63
Vogel, W.H. and Jensh, R., Chronic stress and plasma catecholamine and corticosterone levels in male rats, 183
Volonté, C., Lithium stimulates the binding of GTP to the membranes of PC12 cells cultured with nerve growth factor, 127

Wagner, H.-J., see Weiler, R., 205
Warsh, J.J., see Young, L.T., 283
Watanabe, S., see Kurumaji, A., 109
Weber, R.G., Jones, C.R., Palacios, J.M. and Lohse, M.J., Autoradiographic visualization of A_1-adenosine receptors in brain and peripheral tissues of rat and guinea pig using ^{125}I-HPIA, 215
Weiler, R., Kohler, K., Kirsch, M. and Wagner, H.-J., Glutamate and dopamine modulate synaptic plasticity in horizontal cell dendrites of fish retina, 205
Wood, P.L., see Cosi, C., 293
Wright, D.C., see Jorgensen, M.B., 227
Wu, H.-Q., see Vezzani, A., 63

Yalçin, A.S., see Kilinc, A., 307
Yalçin, D., see Kilinc, A., 307
Yamashita, H., see Kasai, M., 35
Yang, J., see Baker, K., 133
Yoshida, M., see Nagatsu, T., 178
Young, L.T., Li, P.P., Kish, S.J., Chiu, A.S. and Warsh, J.J., [^{3}H]Inositol 1,4,5-trisphosphate binding in human cerebral cortex, 283

Zorumski, C.F., see Baker, K., 133